

## CONTENTS

ACCESSORIES	06
WINDSHIELDS & REAR PANELS	08
DOORS	10
ROOFS	12
VEHICLE & RIDER PROTECTION	13
STORAGE	14
CAB COMFORT	17
HUNT	
POLARIS NORTHSTAR COOLERS	20
CONNECTED TECHNOLOGY	22
AUDIO	24
LIGHTING	26
WHEELS & TYRES	28
WINCHES	36
PLOWS & TRACKS	
PARTS & GARAGE	38
MAINTENANCE	38
OIL & LUBRICANTS	40
HD PARTS	42
SERVICE PARTS	44
CLEANEDS & TRATLEDING	/IE



## DESIGNED



## **TESTED**



## INTRODUCING OUR NEWEST PARTNER



Introducing an industry exclusive — Rhino-Rack® storage solutions designed specifically for Polaris GENERAL. From opposite sides of the globe, the most capable machines in the off-road world meet a trusted outdoor adventure brand to deliver industry-exclusive bed racks and accessories to help Polaris GENERAL users have more fun and get more done. Designed for perfect integration and tested to off-road standards, a Rhino-Rack-equipped GENERAL will help you get more storage capacity out of your machine — so you can stay prepared for whatever the day may bring.

WE HOLD OUR
PARTNERS
TO THE SAME
STANDARDS





WHEELS, TYRES & LIGHTING DESIGNED WITH POLARIS TO MAXIMISE PERFORMANCE
P. 27 & 28



A GLOBAL LEADER IN AUDIO INNOVATION, Design & Engineering P. 24



## TRUSTED







PRODUCTS SO GOOD THEY REPLACE OR REPAIR THEM FOR LIFE P. 26

## KOLPIN OUTDOORS

MAKING PRODUCTS FOR AVID SPORTSMEN SINCE 1943 P. 18



BRING IT ALL. Bring It on. P. 14

## THE ELEMENTS



BUILD YOUR CAB SYSTEM STARTING ON P. 08



COMFORT YOU HAVE TO EXPERIENCE TO BELIEVE

Our cab components create an experience enhancing interior, offering supreme comfort to your vehicle.







LOCK & RIDE Vented Windshield - Hard Coat Poly: P. 08

Windshield Wiper & Washer System: P. 08

Rear Sport Bumper: P. 13

Extreme Kick-Out Rock Sliders: P. 13

Rhino-Rack Rear Bed Rack: P. 14

Polaris Northstar 14 L Cooler: P. 20

Pro Armor 83 cm Combo LED Light Bar: P. 27

Light Bar Harness: P. 27

Vented Windshield - Hard Coat Poly: P. 08

Sport Roof - Poly: P. 12

XL Fender Flares: P. 13 NOTSHOWN

LOCK & RIDE Cargo Box: P. 14

RIGID SR-Series Combo Light Bar: P. 27

Pro Armor Wheel & Tire Set: P. 35 29" Mud XC & 14" 4204 - Matte Black

Winch: P. 36





(NOTSHOWN) LOCK & RIDE Full Windshield - Glass: P. 08

NOTSHOWN Windshield Wiper & Washer System: P. 08

LOCK & RIDE Rear Panel - Glass: P. 09

NOTSHOWN Polaris PULSE LED Light Bar Harness: P. 17

NOTSHOWN Pro Armor 83 cm Combo LED Light Bar: P. 27

In addition to stock accessories

LOCK & RIDE Full Windshield - Glass: P. 08

Windshield Wiper & Washer System: P. 08


LOCK & RIDE Rear Panel - Glass: P. 09

Premium Roof - Poly: P. 12

Polaris Northstar 28 L Cooler: P. 20

## WINDSHIELDS


Keep the elements out and control air flow into the cab.



## GLASS VS POLY


- · Lightweight, flexible, easy to store/remove
- Impact-resistant
- · Tight seal keeps out rain and dust
- · Hard Coat: 30x more scratch resistance

than regular poly windshields



## **GLASS**

## **HARD COAT POLY**





POLARIS GENERAL 1000/4 '16-22

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

Superior optical clarity

• Curved to fit, seals tight

Cold weather / heavy duty

• Wiper ready (windshield only)

(automotive level)

Scratch-resistant

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

POLARIS GENERAL XP 1000/4 '20-22 **POLARIS GENERAL 1000/4 '16-22** 

Hard Coat Poly Hard Coat



WINDSHIELD WIPER & WASHER SYSTEM TOP SELLER

2881090

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22





Offers fully-sealed or flipped-down venting options. Upper half detaches, leaving lower half for protection with maximum ventilation.



## **ADD A REAR PANEL TO REDUCE** THE DUST SWIRL

## REAR **PANELS**

Turbulent air forms above the cargo bed and behind the cab when you add a windshield. This swirl can carry dirt, dust, leaves, and rain into the cab. Eliminate this phenomenon and control the swirl by installing a rear panel.





LOCK & RIDE'
REVOLUTIONARY
INSTALLATION



AIRTIGHT GASKET SEAL

## **POLY**





## LOCK & RIDE

REAR PANEL - GLASS TOP SELLER

» 2881113

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

## LOCK & RIDE

REAR PANEL - POLY TOP SELLER

» 2881112

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

## **DOORS**

**COMPLETE YOUR CAB.** POLARIS GENERAL comes equipped with half doors. To create an enclosed cab for increased protection from the elements, choose from two great Polaris options.



## PREMIUM POLY

## FULL DOORS

- · Impact and scratch-resistant tempered glass
- Fully-sealed design keeps elements out for a premium in-cab environment
- Hinged window adjustability
- Soft-touch, easy-to-clean premium interior liner

## 2-SEAT

 Six-way glass window adjustability

## » 2883717

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

## 4-SEAT

- Push-out windows
- Kit includes B-pillar cover seal
- » 2883082

POLARIS GENERAL XP 4 1000 '20-22 POLARIS GENERAL 4 1000 '17-22

POLARIS ENGINEERED ADVANTAGES





A PERFECT FIT FOR THE PERFECT SEAL

COOLERS



## ZIP WINDOW UPPER DOORS

- Durable, rugged canvas stitched over a robust steel frame
- $\bullet \ Lightweight, \ UV-resistant\ construction$
- Retention straps for increased strength
- · Zipper windows for increased venting options
- Mounts easily by drilling into stock doors (drill hole plugs included)

## 2-SEAT

## » 2882548

POLARIS GENERAL XP 1000 '20-22 POLARIS GENERAL 1000 '18-22

## NOTSHOWN 4-SEAT

## » 2883453

POLARIS GENERAL XP 4 1000 '20-22 POLARIS GENERAL 4 1000 '18-22

SEE P. 14 FOR THE NEW RHINO-RACK STORAGE SOLUTIONS







A PERFECT **FIT FOR THE PERFECT** SEAL



**PREMIUM** FEATURES **8** QUIETER RIDE



**POLARIS ENGINEERED ADVANTAGES** 

## **ALUMINIUM VE POLY**

- High protection strength
- Lower profile
- Sleek style
- Water run-off
- · Pre-existing mounting features
- Liner ready
- Lightweight

## 2-SEAT

## **ROOF - ALUMINIUM**

## » 2881105

POLARIS GENERAL XP 1000 '20-22 POLARIS GENERAL 1000 '16-22

## 4-SEAT

## PREMIUM ROOF - POLY

## » 2883800

POLARIS GENERAL XP 1000 '20-22 POLARIS GENERAL 1000 '16-22



## INCLUDES PREMIUM **ROOF LINER**

## TOP SELLER

SPORT ROOF - POLY

POLARIS GENERAL XP 1000 '20-22 POLARIS GENERAL 1000 '16-22



## PREMIUM ROOF - POLY

POLARIS GENERAL XP 4 1000 '20-22 POLARIS GENERAL 4 1000 '17-22



INCLUDES **PREMIUM ROOF LINER** 

## TOP SELLER

SPORT ROOF - POLY

POLARIS GENERAL XP 4 1000 '20-22 POLARIS GENERAL 4 1000 '17-22

## POLY ROOF LINER

## » 2883802

POLARIS GENERAL XP 4 1000 '20-22 POLARIS GENERAL 4 1000 '17-22 Compatible with Sport Roof - Poly (2883781), sold separately





## ROCK SLIDERS (NOTSHOWN)

## LOW PROFILE

» 2881102

POLARIS GENERAL 1000 '16-22 Not compatible with XL Fender Flares

## EXTREME KICK-OUT

» 2-SEAT • 2881101

POLARIS GENERAL XP 1000 '20-22 POLARIS GENERAL 1000 '16-22

» 4-SEAT • 2881992

POLARIS GENERAL XP 4 1000 '20-22 POLARIS GENERAL 4 1000 '17-22

## XL FENDER FLARES

» 2884220

POLARIS GENERAL 1000/4 '16-22 Not compatible with Low Profile Rock Sliders Standard on GENERAL XP models

## HMW A-ARM GUARDS NOTSHOWN

» FRONT • 2880274

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

POLARIS GENERAL 1000 '16-22

» REAR • 2880171

## A-ARM GUARDS

**HIGH CLEARANCE** 

» FRONT • 2884221 POLARIS GENERAL XP 1000/4 '20-22

» REAR • 2884222

POLARIS GENERAL XP 1000/4 '20-22

## REAR SPORT BUMPER MOTSHOWN

» 2884345

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

## FRONT BUMPERS

SPORT LOW
PROFILE TOP SELLER

» 2881094

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

## ■ SPORT UPPER

» 288152

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22 Requires Sport Low Profile Front Bumper



## EXPANSION ANCHOR MOUNTS

TOUGH EXPANSION ANCHOR MOUNTS DESIGNED FOR POLARIS GENERAL ALLOW FOR QUICK INSTALL OF ROCK SLIDERS AND BUMPERS WITHOUT DAMAGING THE VEHICLE'S FRAME.







## STORAGE



## **BRING IT ALL. BRING IT ON.**

From opposite sides of the globe, the most capable machines in the off-road world meet a trusted outdoor adventure brand to deliver industry-exclusive purpose-built bed racks and accessories to help Polaris GENERAL users have more fun and get more done. Increase storage capacity so you can go where you want with everything you need, organized to succeed.

## REAR BED RACK





- The ultimate modular load carrying solution
- Strong, lightweight aluminium construction tested in the harshest conditions
- $\bullet \ \mathsf{Quickly} \ \mathsf{adapt} \ \mathsf{your} \ \mathsf{vehicle} \ \mathsf{from} \ \mathsf{workday} \ \mathsf{to} \ \mathsf{weekend} \ \mathsf{with} \ \mathsf{a} \ \mathsf{wide} \ \mathsf{array} \ \mathsf{of} \ \mathsf{Rhino-Rack} \ \mathsf{attachments}$
- » 2889443

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22







## **ATTACHMENTS**



## GUN MOUNTING BRACKET

- Bracket used to mount Kolpin Stronghold Gun Boots to Rhino-Rack® systems when paired with Auto-Latch Mount (2884106), sold separately
- » 2889327

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

See P. 18 for more hunt information



## EYELET TIE-DOWNS

- Includes one set and hardware (straps not included) and attaches in multiple places on the platform to use as additional tie-down points
- Anti-corrosive galvanized steel for heavy-duty strength and long life
- » 2889527

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



## MULTI-PURPOSE TOOL HOLDER

- Carry and protect tools, paddles and more during your ride
- Ratchet-locking mechanism for quick release with rubber inserts to secure accessories into place
- » 2889528

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22





## TRACTION BOARD MOUNT

- Strong, durable and easy to attach mount
- Traction board not included
- » 2889530

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



## CARGO CORNER BRACKET

- Bring a Northstar cooler or toolbox while saving space inside your vehicle
- Unique anti-rotation nut for maximum cargo security
- » 2889531

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



## HIGH LIFTING JACK MOUNT

- Installs simply and quickly with durable brackets
- Rugged, non-corrosive powder-coated steel stands up to the harshest conditions
- » 2889533

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

## **STORAGE** LOCK & RIDE CARGO BED MAT TIP-DOWN HEADACHE RACK » 2881933 POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22 POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22 LOCK & RIDE LOCK & RIDE REAR BED STORAGE RACK KOLPIN STRONGHOLD MOUNT » 2885113 » 2885114 LOCK & RIDE POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22 POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22 BED EXTENDER See P. 18 for more info See P. 18 for more info



## LOCK & RIDE

## SPARE TIRE CARRIER

## » 2885122

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

FITS WHEEL UP TO 30"



## BEHIND SEAT STORAGE BAG

## » 2882164

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

## IN-DASH STORAGE BAG

## » 2882165

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22









EASILY
RECONFIGURE
FOR ANY TASK
OR ANY TRAIL

## LOCK & RIDE

## » 2881527

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22 Includes all mounting hardware for secure installation



## » 2881545

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



## FIRE EXTINGUISHER HOLDER NOTSHOWN

## » 2882158

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22 Fits most 8.25 cm fire extinguishers (not included)

PULSE |

SEE P. 08 FOR

WINDSHIELDS

## CAB COMFORT



8-VENT HEATER
AND DEFROST SYSTEM TOP SELLER





## » 2881316

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

Not Compatible with Rockford Fosgate Stage 4 Audio Kits Audio Bracket (2885112) required to install heater on vehicles with RIDE COMMAND and audio, sold separately



## CONVEX REAR VIEW MIRROR

## » 2881540

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22







- Red light is great for reading maps
- Green light is perfect for navigating in the dark
- Blue light is ideal for

## MULTI-FUNCTION CAB LIGHT



 LED dome light provides white, red, green and blue lighting options

» 2884047

- Battery-operated, recharges when vehicle is on
- Remove to use as around vehicle

FLOOR MATS

POLARIS GENERAL XP 1000/4 '20-22

POLARIS GENERAL 1000/4 '16-22

» 2881934

## POLARIS PULSE LED LIGHT BAR HARNESS



· Required to easily add electric components

WINDSHIELD WIPER
AND WASHER SYSTEM TOP SELLER

POLARIS GENERAL XP 1000/4 '20-22

POLARIS GENERAL 1000/4 '16-22

» 2883785

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '19-22

## POLARIS ENGINEERED ADVANTAGES

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '19-22



## **ELECTRICAL INSTALLS**

## MADE EASY WITH PLUG & PLAY



Look for <sup>▶</sup>\\frac{\text{POULSE}}{\text{Constitution}}\) to identify Polaris PULSE ready accessories.

- · To install accessories, simply plug the harness into the Polaris PULSE hub
- No need to remove nuts and stack wire terminals like a three-post terminal setup
- By plugging in your accessories, a secure connection is guaranteed every time





## **KOLPIN STRONGHOLD CASES & MOUNT**



## KOLPIN STRONGHOLD GUN BOOT XL

- Includes zippered internal liner
- Lockable
- » 2882036\*

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



## KOLPIN STRONGHOLD GUN BOOT L

## » 2882426\*

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



## KOLPIN STRONGHOLD AUTO-LATCH MOUNT

## » 2884106

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



## KOLPIN STRONGHOLD AUTO-LATCH DOUBLE GUN BOOT MOUNT

## » 2883970

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22





## STORAGE

## LOCK & RIDE

## REAR BED STORAGE RACK

- Take more gear with integrated MOLLE panels and Lock & Ride installation
- 28 L or 57 L Polaris coolers will still fit in bed with rack installed
- · Compatible with (1) Kolpin Stronghold Mount

## » 2885113

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

## LOCK & RIDE

## KOLPIN STRONGHOLD MOUNT

- · Kolpin Stronghold mount for attaching gun boots or other Kolpin Stronghold items to a General Rear Bed Storage Rack
- » 2885114

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

Never transport a loaded firearm. Verify firearm is unloaded prior to mounting. Please refer to local laws and regulations regarding the requirements for the legal transport of firearms.

## **RHINO-RACK MOUNT**

KOLPIN RHINO GRIPS IDEAL FOR BOWS & UNCASED GUNS



## **INT**GUN MOUNTING BRACKET

- Bracket used to mount Kolpin Stronghold Gun Boots to Rhino-Rack systems when paired with Auto-Latch Mount (2884106), sold separately
- » 2889327

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

See P. 14 for more Rhino-Rack products



## RHINO GRIP PRO

» 2884107

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

## NEW LOCK & RIDE

RHINO GRIP XLR

» 2881574 • SINGLE

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



## » 2889204

POLARIS GENERAL XP 1000/4 '20-22, POLARIS GENERAL 1000/4 '16-22



## RATCHETING RHINO GRIP

» 2881575

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



## » 2889166

POLARIS GENERAL XP 1000/4 POLARIS GENERAL 1000/4 '16-22



## » 2884109

POLARIS GENERAL XP 1000/4 '20-22, **POLARIS GENERAL 1000/4 '16-22** 

19



28, 57 & 99 LITRE FEATURES

















- » GRAPHITE 2883426
- » DESERT 2883392





- » GRAPHITE 2883425
- » DESERT 2881259

## 28 LITRE

- » GRAPHITE 2883424
- » DESERT 2881315

## ESSENTIAL ACCESSORIES SO YOUR COOLER WORKS AS HARD AS YOU DO

COOLER ACCESSO	RIES	99 LITRE	57 LITRE	28 LITRE	
ALEDA PARTON	WIRE BASKET	2883648	2882185	2882438	
	<b>DIVIDERS</b> Doubles as cutting board	2883468 COMES WITH ONE DIVIDER  1 way to partition	2882184 COMES WITH TWO DIVIDERS  2 ways to partition	2882186 COMES WITH ONE DIVIDER  lway to partition	
	SEAT CUSHION	NOT AVAILABLE	2882179	2882507	
	WHEELS	2883967	2882180	NOT AVAILABLE	

GRIZZLY TESTED. POLARIS APPROVED. RRESISTANA This cooler is IGBC-approved, meaning it withstands the power expended by a typical grizzly bear if it was trying to get inside. Seriously, there are experts who know what a grizzly is capable of doing, and they certify our coolers can take it.

**POLARIS NORTHSTAR COOLERS CAN SURVIVE JUST ABOUT ANYTHING** - FROM EXTREME HEAT TO A NASTY TUMBLE OFF A VEHICLE.



14 LITRE

» GRAPHITE • 2883968



19 LITRE SOFT-SIDED COOLER

» GRAPHITE • 2889285

## **DON'T FORGET THESE ACCESSORIES**



## TUMBLERS

» 887 ml • 2883394

» 591 ml • 2883393



## LOCK & RIDE QUICKSTRAP

» 2882187

ALL COOLERS AND POLARIS GENERAL CARGO BOXES



**BOTTLE OPENER** 

» 2882183 ALL COOLERS

## CONNECTED TECHNOLOGY



## PLAN. TRACK. SHARE. CONNECT.

## PLAN YOUR RIDE

Plan an epic ride with stops along the way, customise and adjust your path to maximise your route. You can even share your planned route with friends.

## **DISCOVER NEW TRAILS**

With almost 1,000,000 miles of trails available offline, you'll have the confidence to explore further, whether you have cellular coverage or not.

## **RELIVE YOUR RIDE**

With 3D flyovers you can track and go over your completed rides, and share your favorite routes with friends even after the ride is over.

PULSE |







## 7" DISPLAY POWERED BY RIDE COMMAND

- Bright, 7" touchscreen visible in all conditions
- Pre-Loaded Maps
   Available offline on the in-dash display so you always know where you are.
- Route Planning
   Add points of interest and waypoints
   to make the most of your off-road adventure.
- Camera Integration
   Navigate with full view of your surroundings.
   Use the integrated rear camera to see others behind you while riding.
- Personalized Audio Experience
- Seamlessly pair your display via Bluetooth to wirelessly stream music and stay connected with call and text alerts.

PULSE |

Configurable Gauges
 Customise your ride experience with
elevation, travel direction, fuel level and more
to create relevant screens for you.

## » 2884072

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '19-22

## 7" DISPLAY MOUNT KIT

- Mount RIDE COMMAND seamlessly into the dash for perfect fit and finish
- Comes with required wiring harnesses and accessory components
- Includes front and rear camera, V2V and GPS antenna
- » 2889338

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '20-22

WHEN REPLACING FACTORY IN-DASH AUDIO: EITHER AMP (2414533) AND RELOCATION KIT (2885112), BOTH REQUIRED SOLD SEPARATELY 'OR' STAGE 3 RIDE COMMAND AUDIO KIT & REAR SPEAKERS (2885163), SOLD SEPARATELY, ARE REQUIRED

## AUDIO BRACKET

- Used to mount audio amplifier for front and rear speakers when subwoofer is removed
- Required to install a heater on a vehicle with RIDE COMMAND and audio
- » 2885112

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '20-22





## Pockford fosquie









An industry first. A true factory installed integrated off-road audio system. Rockford Fosgate partnered with Polaris to purpose build the highest performing system specifically for the GENERAL platform. Tuned and rider-centric to create a class leading audio experience that is second to none.





## TOP SELLER STAGE 1 AUDIO KIT



- · PMX-P2 HEAD UNIT & FRONT COAXIAL SPEAKERS & **ANTFNNA**
- · 6.86 cm full colour display with AM/FM/WB tuner, Pandora Control and Bluetooth Connectivity\*
- 50 Watt 16.51 cm front coaxial speakers with enclosures and grilles
- » 2884282

POLARIS GENERAL XP 1000/4 '20-22



## STAGE 3 PMX AUDIO KIT+ REAR SPEAKERS



- REAR COAXIAL SPEAKERS & AMP
- 2.50 Watt 16.51 cm rear coaxial speakers with enclosures and grilles
- 400 Watt 4-channel full range amplifier
- IP67 Rating delivering water resistance and dust protection


POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22







## STAGE 3 RIDE COMMAND AUDIO KIT+ PULSE **REAR SPEAKERS**



- · 2.50 Watt 16.51 cm front and rear coaxial speakers with enclosures and grilles
- 400 Watt 4-channel full range amplifier
- IP67 Rating delivering water resistance and dust protection

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

REQUIRES 7" DISPLAY WITH RIDE COMMAND (2884072) & 7" DISPLAY MOUNT KIT (2884283), BOTH SOLD SEPARATELY



## STAGE 4 **UPGRADE**



- POWERED SUBWOOFER
- Compatible with Stage 1 and Stage 2 PMX-P2 Audio Kits
- 400 Watt 25.4 cm subwoofer
- · Compatible with Stage 1 and Stage 3 Audio Kits
- » 2889306

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22 NOT COMPATIBLE WITH

HEATER KIT (2881316)



## **BUILD YOUR SOUND**

**HEAD UNIT:** 

## PMX-P2

AUDIO:

STAGE 1 AUDIO KIT **STAGE 3 + 4** UPGRADES

MODEL FITMENT:

XΡ

STAGE 1 AUDIO KIT WITH PMX-P2 **HEAD UNIT** 

INSTALLED

**DELUXE** 

STAGE 3 + **REAR SPEAKERS UPGRADE** 

REAR SPEAKERS, AMP + AUDIO BRACKET 2885162

**OPTIONAL SUBWOOFER** 

**PREMIUM** 

**SPORT** 

## STAGE 1 **AUDIO KIT**

PMX HEAD UNIT + FRONT COAXIAL SPEAKERS + ANTENNA 2884282

## STAGE 4 **UPGRADE**

**SUBWOOFER** 2889306

NOT COMPATIBLE WITH 8-VENT HEATER & DEFROST SYSTEM (2881316)

RIDE COMMAND

STAGE 3 RIDE COMMAND **AUDIO KIT** 

**RIDE COMMAND +** STAGE 3 AUDIO SYSTEM BY ROCKFORD **FOSGATE MODEL** 

**INSTALLED** 

TO ADD 8-VENT HEATER & DEFROST SYSTEM (2881316), SUBWOOFER MUST BE REMOVED AND AMP RELOCATION BRACKET (2885112) MUST BE INSTALLED

## 7" DISPLAY WITH **RIDE COMMAND**

2884072

7" DISPLAY MOUNT KIT

2889338

2020-2022 MODELS

## STAGE 3 UPGRADE

REAR SPEAKERS. AMP + AUDIO BRACKET 2885163

## STAGE 4 UPGRADE

SUBWOOFER

2889306

NOT COMPATIBLE WITH 8-VENT HEATER & DEFROST SYSTEM (2881316)

Designed for your Polaris Engineered bumper, roof or other mounting point

## 

## ADVANCED TECH

RIGID lights are driven by Aluminium PCB Smart Boards, 6063-T5 aircraft aluminium extruded housings and Tiger Drylac UV protection polyester powdercoating.

## EXCLUSIVE OPTICS

RIGID invests heavily in optical science and has patented multiple optics and optics systems, maximizing light output and efficiency.

## LIGHT BAR TYPES



## **SR-SERIES PRO**

Sleek, powerful, low-profile (under 5 cm tall). Lights extreme distances with low energy usage.

Available in 25.4 cm 8 81.3 cm



## **D-SERIES PRO**

Compact to fit almost anywhere with high output and low energy usage.

Available in Driving, Flood & Spot


## LIGHT BAR OPTIONS



## BUILD YOUR VISION

Consider the optics, angle 8 how you will use your vehicle to choose the right light or set of lights.

OPTICS Light angle	ACCENT	DRIVING (45°)	FLOOD (25°)	SPOT (10°)	COMBO (25°/10°)
DRIVING SPEED	All	Slow	Medium	Fast	Medium to fast
BEAM	Diffused glow	Extra-wide	Wide/shorter	Concentrated/long	Inner spot & outer flood
RECOMMENDED Mounting	Low/wheel well	All points	Low &/or rear	High points	All points
TERRAIN & RIDING STYLE	Added style & personalization in any terrain	All riding & utility	Wide-open terrain or trails & utility	Trail & tight conditions	All riding & utility



COOLERS

**MAX PERFORMANCE** 

**DOESN'T OVERTAX** Validated to work as hard as Trust it to work when you your machine does need it to

## **PRO ARMOR**

## RUGGED CONSTRUCTION

Pro Armor lights are designed to be big and beefy with an aggressive style all their own, and housed in IP67 marine-grade rated UV polyester powdercoating.

## **MASSIVELY BRIGHT**

Pro Armor builds bright lights designed for any riding experience. All that power is directed through heat dissipating aluminium for streamlined heat management.



## **DUAL-ROW LED LIGHT BARS**

The most spread and farthest illumination downrange. Easy to mount.

Available in Cube, 25.4 cm, 50.8 cm & 76.2 cm



## **SINGLE-ROW LED LIGHT BARS**

Powerful, compact, low-profile light bars with sleek look.

Available in 27.9 cm, 83.8 cm & 101.6 cm



## CUBE LED LIGHTS

Small size allows mounting in strategic locations for added lighting. Available in Flood & Spot



## ADD A HARNESS TO MOUNT YOUR LIGHTS

	LIGHT BAR SET-UPS						
MODEL	1 LIGHT IN 1 LOCATION ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 2 SWITCHES				
2019-2022 All models	TOP SELLER POLARIS PULSE LED LIGHT BAR HARNESS 2883785	TOP SELLER POLARIS PULSE LED LIGHT BAR HARNESS 2883785 Y-HARNESS 2879860	TOP SELLER POLARIS PULSE LED LIGHT BAR HARNESS (x2) 2883785				

📤 No battery connection cables required on any model/model year POLARIS GENERAL 1000.

■ All RIGID and Pro Armor lights are Polaris PULSE ready.

## **ACCENT LIGHTING**

## **ACCENT LIGHTS**

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

PN
2880500
2880506



- Tread patterns optimized for extreme traction





- Provides traction and durability
- Built to perform in hard sand, jagged rocks or any other extreme terrain

## SUPERIOR PERFORMANCE



- · Every tire is designed and constructed with longevity in mind
- · 3,000+ mile rated (4,828 kilometers)

## PREMIUM PROTECTION

- · Pro Armor makes tyres with extra protection exactly where it's needed most - the sidewall
- Triple-belted sidewalls keep your tyres more resistant so you can keep going

- · Higher ply ratings mean added protection
- · Pro Armor builds 8 or 10-ply rated tyres for higher puncture-resistance

# **KNOW YOUR TYRES**



## TREAD DEPTH Deeper treads have more

grip in all conditions

## **PLY RATING** Indicates tire

puncture-resistance

## **LOAD RATING** How much weight can the tire handle

**USAGE** Where can you use the tire

## **TIRE WEIGHT** A lighter tire makes for improved vehicle performance

## **SIDEWALL BELTS**

Increase your resistance to sidewall punctures







lasting tread patterns



Handles extreme cold Holds shape and provides traction

## MAYSTO SHOP

## **TYRES BY SIZE**

26"	27"	28"	29"	30"
ATTACK	MUD XC	HARVESTER	DUAL-THREAT	CRAWLER XG
DUAL-THREAT	HARVESTER	CRAWLER XR	MUD XC	ATTACK 2.0
HARVESTER		ATTACK 2.0	нд-к	HARVESTER
XD-K		CRAWLER XG		CRAWLER XR
				CRAWLER AT

## TYRES BY TERRAIN



## WHEELS BY SIZE

40-SERIES (14 TIRE OPTIONS)	50-SERIES (6 TIRE OPTIONS)
4201	5201
4202	5202
4203 BEADLOCK	5203 BEADLOCK
4204	5301 BEADLOCK
4205	
4301 BEADLOCK	
HD DUAL BEADLOCK	

## **KNOW YOUR WHEELS**

**STEP 1: SELECT YOUR SERIES** 

4 = 40-SERIES 5 = 50-SERIES

STEP 2: CHOOSE YOUR LOAD RATING

1 = <362.9 KG 2 = 363 - 589.7 KG 3 = 590 - 726+ KG

> STEP 3: PICK YOUR STYLE OFFSET / BEADLOCK / COLOUR

**INCREASE OFFSET FROM STOCK = NARROWER** STANCE **DECREASE OFFSET FROM STOCK = WIDER STANCE** 







## FRONT/REAR

## **PRO ARMOR CRAWLER XR**

- · Premium grip for all terrains, from the trail to the rocks
- · Square block profile for even surface contact
- A tougher durometer than the XG to take on the toughest the trail has to offer

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	28" × 10" R14	FRONT/ REAR	16 mm	15 kg	8	3	<b>517</b> kg



## DUROMETER

 Smaller lug height, added rigidity and lateral stability when cornering

WHAT CRAWLER ARE YOU?

Unique lug design excels in hard pack, fast terrain









## FRONT/REAR

WHEEL SIZE

## XG DUROMETER

- Taller lug height and dual-durometer construction
- Perfect balance between high-speed performance, durability and flex in order to grip slick rock



## **PRO ARMOR CRAWLER XG**

- · Built to crawl over all obstacles, both large and small
- A soft, sticky compound makes this tire ideal for both rock crawling and desert running
- · 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	<b>30" × 10" R14</b> 5415616			<b>17</b> kg			581 kg
15"	<b>28" × 10" R15</b> 5416346	FRONT/ REAR	20 mm	<b>15</b> kg	8	3	498 kg
15"	<b>30" × 10" R15</b> 5416397			<b>18</b> kg			581 kg







## FRONT/REAR

## DIRECTIONAL LUG PATTERN



· Wider lug spacing for



## **PRO ARMOR CRAWLER AT**

- · Directional tread for optimum performance
- · Greater lug separation for easy mud clean out
- 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
15"	<b>30" × 10" R15</b> 5417534	FRONT/ REAR	18 mm	<b>16</b> kg	8	3	<b>581</b> kg









## FRONT/REAR

## **PRO ARMOR ATTACK 2.0**

- Engineered for excellent hard pack performance
- $\bullet$  Dual-compound technology and radial construction offer performance in all terrains
- Tight thread pattern for a quieter ride

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
15"	<b>28" × 10" R15</b> 5416344	FRONT/	FRONT/ REAR 25 mm	15 kg	10	3	<b>503</b> kg
15"	<b>30" × 10" R15</b> 5416345	REAR		17 kg			560 kg

TIGHTER TREAD PATTERN = Better traction in hard pack DUAL-DUROMETER LUG = Increased grip & traction in rough terrain, smoother ride in all terrain 10-PLY RATED = Increased durability

LARGER 28" & 30" SIZE OFFERING = More ground clearance & trail traction



## TRAIL





## **PRO ARMOR ATTACK**

- The best all-purpose tire for all-season traction in any terrain
- Unique, full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life
- $\bullet$  Wider spaced lugs provide more grip in softer terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	
14"	<b>26" × 9" R14</b> 5415613	FRONT		13 kg			413 kg	
14"	<b>26" × 11" R14</b> 5415614	REAR	23 mm	15 kg	8	3	599 kg	

## FRONT/REAR









## **PRO ARMOR DUAL-THREAT**

- Dual-compound technology and radial construction offer performance in all terrains
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration and longer tread life
   TREAD
   TIRE
   PLY
   SIDEWALL
   LOAD
   DEPTH
   WEIGHT
   RATING
   BELTS
   RATING

14"	<b>26" × 9" R14</b> 5416340	FRONT	16 mm	12 kg	10	3	<b>413</b> kg
141	<b>26" × 11" R14</b> 5416341	REAR		14 kg			499 kg
140	<b>29" × 9" R14</b> 5416342	FRONT		14 kg			499 kg
14"	<b>29" × 11" R14</b> 5416343	REAR		<b>16</b> kg			599 kg







FRONT/REAR

## **PRO ARMOR MUD XC**

- Designed as the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud
- Dual-compound technology with harder durometer lugs promote extended wear, increasing tire life
- 10-ply construction means added protection in the toughest terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	
14"	<b>27" × 9" R14</b> 5416947	FRONT		14 kg			<b>531</b> kg	
14"	<b>27" × 11" R14</b> 5416948	REAR	30 mm	15 kg	10	3	<b>599</b> kg	
141"	<b>29" × 10" R14</b> 5416946	FRONT/ REAR		18 kg			630 kg	





UTILITY FEATURE	HARVESTER	XD-K	нд-к
8,047 Kilometer Rated Long life and performance	X		
10-Ply Rated Higher ply ratings means added protection	X	X	X
Heavy Duty Tread Aggressive tread pattern for all day work on farms or ranches	X	X	X
Turf-Friendly Easy on grass and farm yard	X		
Aramid Fibre Belt 5x times stronger than steel and lighter		X	X
Size Options For exactly how you want to use your machine	26", 27", 28", 30"	26"	29"



SNOW FRONT/REAR

## **PRO ARMOR HARVESTER**

- · All-around work horse with tread life of 8047 km
- Tread pattern designed to withstand anything from the farmyard to the pastures and the trail
- With 10-ply, it can carry the load day in and day out

			DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
12"	<b>26" * 8" R12</b> 5416396	FRONT	16 mm	<b>11</b> kg			388 kg
12"	<b>26" × 10" R12</b> 5415966	REAR		15 kg			<b>615</b> kg
14"	<b>27" × 10" R14</b> 5415965	FRONT/ REAR		15 kg	10	3	599 kg
14"	<b>28" × 10" R14</b> 5416347	FRONT/ REAR		15 kg			630 kg
15"	<b>30" × 10" R15</b> 5417529	FRONT/ REAR		17 kg			599 kg









## **PRO ARMOR XD-K**

- 26" Aramid fibre-belted tire to tackle any terrain
- Unique full-face tread design
- Harder durometer lugs promotes extended wear, increasing tire life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
12" +	<b>26" × 9" R12</b> 5415756	FRONT	31.7 mm	13 kg	10	3/1 Aramid	388 kg
12"	<b>26" × 11" R12</b> 5415757	REAR		15 kg			499 kg











## **PRO ARMOR HD-K**

- Designed to provide a smooth ride and aggressive traction in all riding terrains
- $\bullet$  Triple-belted sidewall provides extreme protection and extends the tire life
- Quad belt tread core offers superior protection and longer tread life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	<b>29" × 10" R14</b> 5417507	FRONT/ REAR	31.75 mm	<b>18</b> kg	10	3/1 Aramid	<b>598</b> kg

## FRONT/REAR



## WHEELS

























## 40-SERIES

## **4201** 0

WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 FRONT REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: -9

14" × 7" 1522956-266 14" × 8" 1522957-266 14" × 7" 1522956-458 14" × 8" 1522957-458 ACCENT: RFAR MATTE BLACK: FRONT

## **a** 4202 0

FRONT WEIGHT: 5.8 kg | LOAD RATING: 408 kg | OFFSET: +4 WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: -9

14" × 7" 1522544-266 14" × 8" 1522545-266 14" × 7" 1522544-458 14" × 8" 1522545-458 ACCENT: REAR MATTE BLACK: FRONT

## 

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 WEIGHT: 6.6 kg | LOAD RATING: 590 kg | OFFSET: -9

14" × 7" 1522238-458 14" × 8" 1522239-458 MATTE BLACK: FRONT

## 4204 0

WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 FRONT REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: -9

14" × 7" 1522546-266 14" × 8" 1522547-266 ACCENT: FRONT REAR 14" × 7" 1522546-458 14" × 8" 1522547-458 MATTE BLACK: FRONT

## **9 4205** 0

WEIGHT: 4.8 kg | LOAD RATING: 408 kg | OFFSET: +4 RFAR WEIGHT: 5.7 kg | LOAD RATING: 590 kg | OFFSET: -9

14" × 7" 1521507-521 14" × 8" 1521508-521 MATTE BLACK: FRONT REAR 14" × 7" 1521507-410 14" × 8" 1521508-410 HISTER-FRONT

## 4301 BEADLOCK

FRONT/REAR

WEIGHT: 7.3 kg | LOAD RATING: 729 kg | OFFSET: +38

ACCENT: FRONT/REAR 14" × 7" 1523284 MATTE BLACK: FRONT/REAR 14" × 7" 1523283

## 6 HD DUAL BEADLOCK

WEIGHT: 18.1 kg | LOAD RATING: 725.7 kg | OFFSET: +38 MATTE BLACK: FRONT/REAR 14" × 7" 1524022-458

## 50-SERIES

## **5201**

FRONT/REAR

WEIGHT: 7.8 kg | LOAD RATING: 590 kg | OFFSET: +4 FRONT/REAR 15" × 7" 1523184-266

MATTE BLACK: FRONT/REAR 15" × 7" 1523184-458

## **9** 5202

FRONT/REAR

WEIGHT: 8.1 kg | LOAD RATING: 590 kg | OFFSET: +4

## 5203 BEADLOCK 0 0

WEIGHT: 7.3 kg | LOAD RATING: 590 kg | OFFSET: +38 MATTE BLACK: FRONT/REAR 15" × 7" 1522435-458

## **©** 5301 BEADLOCK

FRONT/REAR

WEIGHT: 7.7 kg | LOAD RATING: 726 kg | OFFSET: +38 ACCENT: FRONT/REAR 15" × 7" 1523282

MATTE BLACK: FRONT/REAR 15" × 7" 1523266

O LUG NUTS REQUIRED O BEADLOCK SOLD SEPARATELY

## **BEADLOCK RINGS**

	14" FORGED BEADLOCK RINGS	PART#		
<u>A</u>	Machined Fits 4203 Beadlock & HD Dual Beadlock	1522244-266		
₿	Matte Black - Replacement Fits 5301 Beadlock & HD Dual Beadlock	1523146-458		
	15" FORGED BEADLOCK RINGS	PART #		





## **KNOW YOUR WHEELS**

**STEP 1: SELECT YOUR SERIES** 

4 = 40-SERIES 5 = 50-SERIES

STEP 2: CHOOSE YOUR LOAD RATING 1 = <362.9 KG 2 = 363 - 589.7 KG 3 = 590 - 726+ KG

STEP 3: PICK YOUR STYLE

OFFSET / BEADLOCK / COLOUR

INCREASE OFFSET FROM STOCK = NARROWER STANCE DECREASE OFFSET FROM STOCK = WIDER STANCE










# WHEEL & TYRE SETS



REI	REPLACEMENT CAPS				
POLA	RIS 🌑				
LUSTER	ALL WHEELS EXCEPT 5203	1521509-410			
MATTE Black	BEADLOCK & 5204	1521509-521			
LUSTER	5203 BEADLOCK	1522243-410			
MATTE BLACK	5203 BEADLOCK	1522243-458			
MATTE BLACK	ALL WHEELS	5457498-458			
PRO A	PRO ARMOR				
LUSTER	ALL WHEELS EXCEPT 5203	5453209-410			
MATTE Black	BEADLOCK & 5204	5453209-458			
MATTE BLACK	5204	1523063-458			
LUSTER	E202 BEADLOCK	1523015-410			
MATTE BLACK	5203 BEADLOCK	1523015-458			
_					








O LUG NUTS REQUIRED



COLBY SHORT ULTIMATE VALVE

» 2883292





COLBY COMBO VALVE KIT (16 PACK)

- Includes eight ultimate valves and eight emergency valves
- » 2883294



TESTED **1,200+**PULLS AT MAX LOAD

OPERATES FULLY SUBMERGED

BUILT TO WITHSTAND
-29°C TEMPERATURES

MILITARY TESTED & APPROVED



FEATURES & BENEFITS

PRO HEAVY DUTY SERIES

BEST FOR PLOWING, HEAVY-DUTY OUTDOOR
CHORES & TRAIL RIDING

HEAVY DUTY SERIES

BEST FOR THE CASUAL

OFF-ROAD RIDER

#### ALL POLARIS ENGINEERED WINCHES COME WITH:

- ✓ INTEGRATED WIRING, MOUNT, PREASSEMBLED
- **✓** HOOK WITH STRAP
- **✓** CUT STEEL GEARS & SEALED DRIVETRAIN
- **✓** SEALED PERMANENT MAGNET MOTOR



Retrieve cable 5x as fast as standard mode on other Polaris winches. Get back to riding or complete your task quicker.

- Set winch dial to N (Neutral) to manually pull the rope out and secure the hook to your anchor point
- Set winch dial to L (Low) for maximum pulling power while winching your load
- 3. Set winch dial to H (High) for retrieving the rope 5x faster with Rapid Rope Recovery



NOT AVAILABLE

#### AUTO STOP TECHNOLOGY



Auto Stop technology protects and extends the life of your winch by automatically stopping the winch at the end of pull to prevent over-spooling. While plowing, it prevents the plow frame from bending by stopping the winch once the plow has been lifted.



ADD AUTO STOP UPGRADE

2881288

SYNTHETIC ROPE REQUIRED

#### PREMIUM SYNTHETIC ROPE

With its lightweight, yet extremely strong, design and superior flexibility, this 15 m long synthetic rope is easy to handle and can stand up to any tough job.



ADD SYNTHETIC ROPE 2879187



#### **WIRELESS REMOTE**

**?** 

This convenient remote operates your Polaris winch wirelessly from within 15 m of the vehicle. Operate your winch safely outside your vehicle while on the job site or trails.



ADD WIRELESS REMOTE 2881287



MODEL 2,041 kg

**POLARIS GENERAL XP 1000/4** '20-22 **POLARIS GENERAL 1000/4** '19-22 2883861

TOP SELLER **2883860** 

2,041 kg

CHOOSE A PLOW SYSTEN

BUILD A PLOW SYSTEN

# PLOWS & TRACKS

#### PLOW SYSTEMS (WINCH REQUIRED SOLD SEPARATELY)

» 3880014

Requires lift method: see winches below.

Choose a Glacier Plow System, designed to help you get the most out of your GENERAL during snowy months. Select a system based on your plowing needs with premium add-ons including a hydraulic lift system or additional plow

#### NEW GLACIER PRO HD PLOW SYSTEM WITH HYDRAULICS

System includes:

- · Mount (2881763)
- · Frame (2880260)
- 183 cm Steel Plow (2880270)
- Hydraulic Angle (2885102) Hydraulic Controller (2883391)
- Plow Markers (2872726)
- Plow Deflector (2858541)

#### **ENEW GLACIER PRO HD PLOW SYSTEM**

System includes:

- Mount (2881763)
- Frame (2880260)
- 168 cm Poly Plow (2880269)

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

Requires lift method: see winches and hydraulic lift options below.

#### **NEW**GLACIER HD PLOW SYSTEM

System includes:

- Mount (2883256)
- Frame (2882927)
- 183 cm Steel Plow (2889307)

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

Requires lift method: see winches and hydraulic lift options below.

#### \*GLACIER\* PROHID PLOW SYSTEM



POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

#### **GLACIER PRO HD GIVES YOU**

» 183 cm or 168 cm Blades

» Choice of poly or steel » Manual angle system standard





168 cm POLY BLADE BEST FOR CORROSION RESISTANCE



CREATE YOUR PLOW SYSTEM	STEP 1 SELECT A MOUNT	STEP 2 SELECT A FRAME	STEP 3 SELECT A LIFT METHOD	STEP 4 SELECT A BLADE	STEP 5 SELECT ACCESSORIES
MODELS	MOUNT	FRAME	WINCH	BLADES	ACCESSORIES
POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22	2881763	TOP SELLER 2880260	Polaris PRO HD 2,041 kg Winch 2883861 POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '19-22 Hydraulic Plow Angle 2885102 POLARIS GENERAL 1000/4 '16-18 Hydraulic Plow Controller 2883391 POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL XP 1000/4 '16-22	183 cm Steel 2880270 168 cm Poly 2880269  TOPSELLER 168 cm Steel 2880268	183 cm Blade Snow Deflector 2858541 183 cm HD Wear Bar 2879875 183 cm Wear Bar 2204976 168 cm Blade Snow Deflector 2879866 168 cm HD Wear Bar 2879868 168 cm Wear Bar 2879867 Plow Marker 2872726 168 cm Blade Plow Shoe 2208864 Shear Pin 2205527 Replacement T Shear Pin 2204829 Extension for Tracks 2880267 Heavy Duty Deflector 2884160

## \*GLACIER HD PLOW SYSTEM

#### **GLACIER HD GIVES YOU**

»168 cm Blades » Choice of poly or steel » Manual angle system standard





168 cm POLY BLADE BEST FOR CORROSION RESISTANCE

168 cm STEEL BLADE BEST FOR BIG JOBS YEAR AFTER YEAR

Choose a steel blade for longevity and increased rigidity or a lightweight non-stick, poly blade that's easier on plowing surfaces.

CREATE YOUR PLOW SYSTEM	STEP 1 SELECT A MOUNT	STEP 2 SELECT A FRAME	STEP 3 SELECT A LIFT METHOD	STEP 4 SELECT A BLADE	STEP 5 SELECT ACCESSORIES
MODELS	MOUNT	FRAME	WINCHES	BLADES	ACCESSORIES
POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22	2883256	2889307	Polaris HD 2,041 kg Winch 2883860 POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '19-22	168 cm Poly 2880269 168 cm Steel 2880268	168 cm Blade Snow Deflector 2879866 168 cm HD Wear Bar 2879868 168 cm Wear Bar 2879867 Plow Marker 2872726 168 cm Plow Shoe 2208864 Shear Pin 2205527 Replacement T Shear Pin 2204829



#### PROSPECTOR PRO TRACK MOUNTS

- Install in place of tyres and wheels. Tracks sold separately.
- » 2880649 POLARIS GENERAL 1000/4 '16-22
- » 2885117

#### POLARIS GENERAL XP 1000/4 '20-22

#### PROSPECTOR PRO TRACK

#### » 2880758

POLARIS GENERAL 1000/4 '16-22 POLARIS GENERAL XP 1000/4 '20-22

If using Glacier Pro Plow System, Track Plow Extension is required (2880267)

# FOR THE LIFE OF YOUR RIDE

#### MAINTENANCE TIP

#### **BREAK-IN PERIOD**

The break-in period for your new GENERAL is the first 25 hours of operation, or the time it takes to use the first two tanks of fuel. No single action on your part is as important as a proper break-in period. Careful treatment of a new engine will result in more efficient performance and longer life for the engine.

NOTICE: Excessive heat build-up during the first three hours of operation will damage close-fitted engine parts. Do not operate at full throttle or high speeds for extended periods during the first three hours of use.

#### **AIR FILTER**


A clogged air filter can restrict air flow to the engine leading to reduced engine performance, engine life or catastrophic failure.

#### **BRAKE PADS**

Maintaining and/or replacing brakes are critical to the safety and functionally of a vehicle. Brake pads should be checked for wear and oil or grease [petroleum products] contamination and brake discs should be checked for cracks, excessive corrosion or warping.

#### HALF SHAFT

Check for tears and punctures in the boot, which can lead to CV joint wear that can contribute to axle failure.



#### MAINTENANCE SCHEDULE

25 HRS / 400 km

### BREAK-IN MAINTENANCE

ENGINE OIL & OIL FILTER: CHANGE

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

> AIR FILTER: INSPECT & REPLACE AS NEEDED

EXHAUST SYSTEM:
INSPECT & CLEAN
INSPECT FOR LEAKAGE OR
CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR 50 HRS / 800 km



EXHAUST SYSTEM: INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN
TYPE SPARK ARRESTOR

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

> DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

100 HRS / 1,600 km

MONTHS

ENGINE OIL & OIL FILTER: CHANGE

DRIVE BELT: INSPECT & ADJUST

TRANSMISSION FLUID: CHANGE

REPLACE AS NEEDED

AIR FILTER: INSPECT & REPLACE AS NEEDED

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR 150 HRS / 2,400 km

18 MONTHS

> ENGINE OIL & OIL FILTER: CHANGE

BATTERY: TEST, CLEAN &

CHECK FLUID LEVEL
REPLACE AS NEEDED

DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

TYRES: INSPECT CONDITION & PRESSURE

EXHAUST SYSTEM:

INSPECT & CLEAN
INSPECT FOR LEAKAGE OR
CARBON BUILD UP AT JOINTS


INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

#### **PARTS THAT PUSH THE** LIMITS WITHOUT SACRIFICING STRENGTH AND DURABILITY.

We build our products so anyone with the right tools can maintain their vehicle.



PSLARIS



#### **DRIVE BELT**

Polaris Engineered belts deliver unmatched performance for your off-road vehicle. Developed and tested on all our engines for all environments and conditions. Check your belt for delamination, hour glassing and glazing.

#### **BREAK-IN PERIOD**

- · Use lower gear (if available) while varying speeds and avoid wide open throttle for 8-16 km
- · If no low gear is available, vary at moderate speeds while avoiding wide open throttle for 80 km

#### **OUR INVESTMENT**

- · 32,187 km of field testing
- · Thousands of dyno hours
- 18+ months of development (13,000+ design hours) per belt • More time riding, less time wrenching
- · Collaboration with powertrain and clutch engineers

#### YOUR ADVANTAGE

- No clutch recalibration
- · Less wear and tear due to heat
- · Ensure maximum vehicle performance
- $\cdot$  1,500+ vehicle validation hours  $\cdot$  Produced in collaboration with powertrain and clutch engineers to ensure a perfect fit, maximum performance and ultimate durability

#### **BATTERY**

To ensure a battery maintains its level of charge when unused for extended periods of time or during freezing weather, the battery should be connected to a suitable battery charger. Be sure to check for corrosion from the terminals to the ends of the cables.

#### **OIL FILTER**

Change oil filters with every oil change to provide the best engine protection and keep the engine operating at peak performance.

FOLLOW RECOMMENDED SERVICE INTERVALS IN THE OWNER'S MANUAL

200 HRS / 3,200 km

# MONTHS

ENGINE OIL & OIL FILTER: CHANGE

BRAKE PADS & FLUID: INSPECT & CLEAN REPLACE BRAKE FLUID REPLACE AS NEEDED

> **SPARK PLUGS:** INSPECT REPLACE AS NEEDED

**AIR FILTER:** INSPECT & REPLACE AS NEEDED

**EXHAUST SYSTEM:** INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

250 HRS / 4,023 km

# MONTHS

ENGINE OIL & OIL FILTER: CHANGE

BATTERY: TEST, CLEAN &

CHECK FLUID LEVEL REPLACE AS NEEDED

DRIVE BELT: INSPECT & ADJUST

REPLACE AS NEEDED

**GENERAL** LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

**EXHAUST SYSTEM:** INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

300 HRS / 4,828 km

# MONTHS

ENGINE OIL & OIL FILTER: CHANGE

AIR FILTER: INSPECT & REPLACE AS NEEDED

> GEARCASE & TRANSMISSION: REPLACE FLUIDS

**EXHAUST SYSTEM: INSPECT & CLEAN** 

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR



**CHECK YOUR OWNER'S MANUAL FOR ADDITIONAL** RECOMMENDED **SERVICE ITEMS** AND VEHICLE-SPECIFIC TIMING



# SPECIFIC NEEDS, SPECIFIC OILS

Polaris invests millions in engine development, and part of that investment is making sure its lubricants-critical to engine performanceare the right formula for your specific engine. The amount of testing data and engineering resources used in developing Polaris lubricants would overwhelm an aftermarket company. Therefore, the aftermarket must spec an oil to an industry-wide standard that must account for a variety of operating parameters.

PS-4 is designed specifically for Polaris 4-cycle engines and has high film strength and wear protection under extreme loads and temperatures. Exclusive anti-wear additives protect engine parts with extra rust and corrosion protection.

#### **PS-4 SYNTHETIC** PERFORMANCE OIL

- PS-4 is optimal for ambient operating temperatures of -40° C to 40° C
- » 1 L 502484
- » 4 L 502485
- » 25 L 502486
- » 60 L 502487
- » 200 L 502488

#### PS-4 EXTREME-DUTY SYNTHETIC PERFORMANCE OIL

- PS-4 Extreme Duty is optimal for ambient operating temperatures of -20° C to 55° C
- » 11 502491
- » 4 L 502492
- » 25 L 502494
- » 60 L 502496
- » 200 L 502497

#### **PS-4 OIL CHANGE KIT**

- Contains the correct amount of oil for your vehicle and correct oil filter
- » 502543
- RANGER/RZR 900/1000
- » 502542

» 502541 SINGLE 570, TWIN 600, TWIN 700, TWIN 800

330500, SPORTSMAN 550/850/1000

### P&LARIS

**ENGINEERED PARTS** & LUBRICANTS

#### FOR THE LIFE OF YOUR RIDE ONLY THE BEST WILL DO

To create the best oil for any terrain, we invest in rigorous testing to ensure our oil delivers the consistency and performance you demand. The results are Polaris Engineered Lubricants that are tested and perfected to deliver excellent total engine protection for the life of your ride.

#### WHAT COUNTS IN OIL TESTING:

- 1. Does it protect the engine at high temperatures?
- 2. Does it keep the engine free from carbon and buildup?
- 3. Does the oil hold its viscosity over time?

#### **ENGINE CHECKPOINTS**

When evaluating an engine oil and its ability to protect and preserve the engine's power output and lifespan, Polaris engineers focus on key areas within the engine, some of the most critical ones include:

RING LANDS: Poor exidative performance can lead to carbon and varnish buildup, which results in poor ring seal and loss of power, combustion blow by and fuel dilution of the oil.

PISTON RINGS: During the combustion process, extreme pressures are placed on the top ring, forcing it outward toward the cylinder wall, sealing the combustion chamber. With so much force applied, poor oil film strength between the top ring and the cylinder wall can lead to cylinder wear and loss of power.

ROD BEARINGS: Engine bearings ride on an extremely thin hydrodynamic film of oil. Poor oil film strength or using an oil with a thinner viscosity, can lead to premature bearing wear or even engine failure. Using an oil with high film strength and a strong viscosity, like PS-4 full synthetic, will extend the service life of your engine.

CAMSHAFT: Direct Acting Overhead Camshafts are used on many Polaris Prostar Engines. In this application the camshaft pushes directly on the valve, creating very high contact pressures compared to other camshaft configurations. These forces are so great that inferior oil can break down and be forced out of the contact area leading to increased wear. PS-4 full synthetic additives are specifically designed to provide wear protection against this.

#### OIL DEVELOPMENT

12 DEDICATED **TEAM MEMBERS** 

18+ **MONTHS** 

**FOCUSED ON POLARIS OIL** 

DEVELOPMENT 8 TESTING

64.374 **KILOMETERS** 

> FIELD **TESTING**

75,000+ **HOURS** 

DYNO **TESTING** 

# ENGINEERED TO MAXIMISE THE LIFE OF YOUR RIDE

All Polaris fluids—from anti-freeze to brake fluid—are developed for your vehicle. Trust the only fluids perfectly engineered for your needs.



#### **DOT 4 BRAKE FLUID**

Polaris DOT 4 Brake Fluid is a high-quality brake fluid designed for use in Polaris hydraulic brakes. Superior high-temp characteristics plus anti-corrosive additives extend the life of brake system components and provide consistent, positive braking.

» 250 ml • 502526

#### **ANTI-FREEZE**

Polaris Extended Life Coolant contains organic acid technologies to prevent corrosion on metal components, eliminate scaling, and maximise cooling system performance.

- » 1 L 502566
- » 25 L 502567
- » 206 L 502568

#### AGL

A proprietary blend of additives designed to optimize Polaris' ORV transmission life. Extreme pressure additives protect gears, drive chain, and bearings from scoring and wear. Unlike typical gear case oils, AGL's unique viscosity range allows instant flow and film protection in extreme cold or high heat environments.

- » 1 L 502505
- » 25 L 502507
- » 200 L 502508

#### DEMAND DRIVE FLUID

Engineered specifically for Polaris ORV front drive systems. Provides positive 4WD engagement in extreme cold or high heat conditions. Unique friction additives protect internal components under heavy loads and promote positive engagement.

- » 1 L 502563
- » 25 L 502564
- » 200 L 502565

Proper lubricant application and timing will ensure optimal vehicle performance. Please refer to your owner's manual for lubricant change interval schedules.



#### CARBON CLEAN

Polaris Carbon Clean prevents ethanol corrosion, stabilizes fuel, and cleans fuel injectors, piston ring lands, intake systems, and combustions chambers. Helps maintain peak HP and improves fuel economy

» 125 ml • 502528



#### FUEL STABILIZER

Fuel Stabilizer prevents ethanol corrosion and stabilizes fuel for up to 2 years. Dualantioxidant formula protects against gum and varnish for easy starting.

» 125 ml • 502519



#### ANGLE DRIVE

- » 1 L 502510
- » 25 L·502511
- » 202 L 502512 SPORTSMAN, RANGER, RZR ANGLE DRIVE GEAR CASE SYSTEMS



#### PREMIUM GAS SHOCK OIL

» 1 L • 502518



ALL-SEASON GREASE TUBE

» 400 g • 502538

All Polaris parts are developed and tested to help you get the most out of your ride. We're taking the passion of our riders, workers and outdoor enthusiasts to the next level with HD Parts.

Engineered and designed for:

- · Greater durability
- · Enhanced performance
- · Greater wear and tear capabilities
- · All weather conditions



#### NEW

#### **DRIVE BELTS**

The enhanced rubber material compound in these belts keep them cool in extreme heat, while our patented cord treatment process maximises the transfer of horsepower to the ground for those customers hauling heavy loads.

OE	HEAVY DUTY PARTS
3211149	
3211169	3212326
3211196	
3211113	3212328

#### NEW

#### **OIL FILTERS**

The advanced synthetic material built into these filters offers the highest debris holding capacity, maintains oil flow and maximises performance.

OE	HEAVY DUTY PARTS
2540086	2522498






#### **WHEELS & TYRES**

Class leading durability for off-road performance and traction for confident driving in extreme conditions.

- » 1524022-458 HD WHEEL 14x7\*
- » 5417507 PRO ARMOR HD-K 29x10R14\*
- » 5457498-458 HD WHEEL CENTER CAP\*
- » 5415756 PRO ARMOR XD-K FRONT
- » 5415757 PRO ARMOR XD-K REAR
- \* SHOWN








MUD







#### WHEEL BEARINGS

Fully sealed for added protection against intrusions. Made of a higher grade steel for extended life in extreme conditions.

LOCATION	OE	HEAVY DUTY PARTS
FRONT	3514924	3515090
REAR	9914954	9919090



EXTREME COLD



EXTREME HEAT UP TO 54° C



HEAVY PAYLOADS



EXTENDED LIFE

#### BRAKES

Engineered to provide longer life and better stopping power while riding in extreme conditions.

OE	HEAVY DUTY PARTS	
2205949	2208933	
2202413	2208934	
2203318	9208936	

# SERVICE PARTS

# Polaris Engineered service parts deliver unmatched performance and fit for your off-road vehicle.

All service parts are engineered specifically for your machine. Which means everything is designed, tested and perfected to maximise the life of your ride. Getting Polaris Engineered parts is a decision that pays off in the long run, because it ensures there is a long run.



VISIT YOUR POLARIS DEALER TO SHOP FOR SERVICE PARTS.



# YOUR RIDE

Maintenance is the key to keeping your Polaris off-road vehicle performing at its peak. Items like belts, lubricants, and batteries represent only a few of these critical items engineered specifically by Polaris.



### POLARIS ENGINEERED

# DRIVE BELTS

#### TESTED, PERFECTED

We test each belt on the intended vehicle – we don't just try to make an existing belt "just work".

- Amery Kuhl, Polaris CVT System Engineer

#### **OUR INVESTMENT**

- · 32,187 km of field testing
- Thousands of dyno hours
- 18+ months of development (3,000+ design hours) per belt
- · 1,200+ vehicle validation hours
- · Collaboration with powertrain & clutch engineers

#### YOUR ADVANTAGE

- · No clutch recalibration
- · Less wear & tear due to heat
- Ensure maximum performance of your vehicle
- · More time out riding, less time wrenching

OUR INVESTMENTS ENSURE POLARIS BELTS OUTPERFORM YOUR EXPECTATIONS.

## CV BOOT REPAIR KIT\*

- · A quick trail-side fix to increase trail time
- The flexible and durable boot material expands "over a cone tool for CV boot repairs, without disassembling CV axles
- Universal fit works as a temporary fix for most powersports axles
- All components fit inside the cone, and a cover is provided for compact durable storage
- Easily fits in a cargo box, attached to the roll cage, in the glovebox or many other storage locations



Items shown are contained inside cone

#### UTV CV BOOT REPAIR KIT

Kit includes the following items:

- (1) Expandable XL CV Boot
- (1) Reusable Cone Tool
- (2) CV Boot Clamps
- (1) Tube of Silicone Lube
- (1) Grease Packet
- (1) Cone Cover
- » 2830526


#### UTV TRAIL BOOT ONLY

» 2830527


#### ATV

- » CV REPAIR KIT 2830528
- » TRAIL BOOT ONLY 2830529


#### **HOW TO INSTALL**




Remove wheel and axle nut.




Remove brake caliper, hub, tie rod and upper and lower ball joints.




Remove old boot and clean joint.



Spread silicone lube on entire cone tool. Slide boot over cone tool, large end first. See package for outer boot instructions.



Empty the bag of grease into the CV joint/boot, clean sealing points and install clamps.



Reassemble tie rod, ball joints, brake caliper, axle nut, tire and wheel.

Refer to your service manual for further instructions and torque specifications.
\*Designed for temporary CV boot repair. Purchase the DEM CV Boot for a permanent repair.

# **KEEP IT CLEAN**

#### CLEAN A

#### **ALL-PURPOSE CLEANER**

- Professional cleaner, which is formulated with a low pH-value. The product spreads well on surfaces and adheres on them for effective cleaning action. Perfectly compatible with rubber, plastic and painted surfaces. The formulation is biodegradable.
- » 500 ml 502309

#### SHINE

#### **INSTANT SHINE & DETAILER**

- The INSTANT SHINE AND DETAILER is developed for cleaning action without
  water. Removes insects, dust and dirt with almost no effort. Applicable for
  plastics, visors, windscreens, paint and metal. The wipe and shine
  formulation makes surfaces shine, works water repellent and also has an
  antistatic effect. Perfect for customers living in urban areas with no
  access to water, for bike trips or showroom bikes.
- » 500 mLL 502303



# BRING IT EVERYWHERE

#### **TRAILERING**



#### CALIBER RAMP PRO

- Designed for ATVs and UTVs up to 127 cm wide
- Integrated grip glides for ultimate
- Folding sides for easy transportation
- » 132 cm × 229 cm 2884576



#### ALUMINIUM ARCHED LOADING RAMPS

- · Capacity for up to 1,361 kg, 680.7 kg per ramp
- » 193 cm × 30.5 cm 907 kg 2875384
- » 224 cm × 30.5 cm 1,361 kg 2875386



#### LIGHTWEIGHT TRI-FOLD RAMPS

- · Ramp folds up for transport
- · Capacity for up to 680.7 kg
- · Safety straps included
- » 183 cm × 130 cm 2875385

STRAPS & ROPES

» 208 cm × 130 cm • 2875860



#### FOLDING ALUMINIUM ARCHED RAMPS

- · Ramp folds up for transport
- Up to 680 kg total capacity, 340 kg per individual ramp
- Safety straps included
- » 224 cm × 30.5 cm 2875387


#### HITCHES


#### 3:1 HITCHES

VERSATILE 3 IN 1 FUNCTIONALITY



BALL





PIN

ноок

- · Ball, hook and pin design
- Durable, rust resistant steel with black powdercoated finish
- · Removable ball
  - HD 1.6 cm pin and clip



#### HITCH WITH 5 cm BALL

- » 5 cm × 5 cm RECEIVER
- » 3 cm × 3 cm RECEIVER



- · 4.8 cm replacement ball for hitch
- Designed to work with 3:1 Hitch



- 8,165 kg maximum load / 4,082 kg maximum vehicle weight
- Comes with carry bag
- » 2884033



#### RATCHET STRAP

- · 3.8 cm × 4.6 m straps, 2 Pack
- Heavy duty webbing
- 2,495 kg maximum load, 831 kg working load
- » 2884031



- 2830522
- 2830523





» 5 cm RECEIVER TONGUE



1.9 cm SHANK

- » 4.8 cm BALL 2877602
- » 5 cm BALL 2877603



#### RATCHET STRAP

- Heavy duty webbing, floating D-rings, double J-hooks
- · 4,536 kg maximum load, 1,497 kg working load
- » 2884032



#### SHOCK STRAPS

- 3.8 cm 1,361 kg breaking strength
- Keeps tension on tie-down straps to secure load, 2 Pack
- » 3.8 cm × 4.6 m 2883296
- » 3.8 cm × 2.1 m 2883295

#### **COVERS**



#### TRAILERABLE COVER BY POLARIS

- » 2-SEAT 2881841 POLARIS GENERAL XP 1000 '20-22 POLARIS GENERAL 1000 '16-22
- » 4-SEAT 2881787
- POLARIS GENERAL XP 4 1000 '20-22 POLARIS GENERAL 4 1000 '17-22



#### POLARIS SxS CAMO FIELD COVER

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-21





#### ELEVATE YOUR

# ADVENTURE



